

From the Consumers' Perspective: Plastic Free Consumer Products, based on a High Critical-Crisis-based Recommender System for the Manufacturers/Producers of Consumable Products packed with all types of containers based on Plastic Material

MALATHI SIVARAM

*Department of Management, Intuitivo Gateway Ricerca Fatti Private Limited
Nashik, Maharashtra, India - 422009
saimalsivs@gmail.com*

SRI NANDHINI SIVARAM

*Student, Senior Secondary, Nashik Cambridge School
Nashik, Maharashtra, India - 422009
nansaisivs@gmail.com*

SIVARAM PONNUSAMY*

*School of Computer Sciences and Engineering, Dept. of CSE, Sandip University
Nashik, Maharashtra, India - 422213
ponsivs@gmail.com*

MADHUSUDAN KS

*Management Studies, PSG Institute of Management, PSG College of Technology
Coimbatore, Tamilnadu, India - 641004
ksms6505@gmail.com*

Abstract

In recent years, the issues on the usage of plastic products from the consumer products industry and the generated plastic waste (PW) after use and PW management (PWM) from various domains of businesses and the human society caused the biological ecosystem (BES) and the green ecosystem (GES) to reach its imbalance state. This imbalance in the GES and BES causes various human hygiene problems, leading to and affecting the natural resources available to the next generation of living organisms from genuine accessibility. As humans, our foremost duty is to enjoy the natural resources from the available GES and BES, maintain them, and hand over the same for the next generation to utilize and train the successor generation to maintain fair practice. In such a scenario, the PW in human society is

* Corresponding Author.

caused by the considerable percentage of business handlers of consumable products packed with all types of containers based on plastic material. The awareness and law enforcement for the usage of plastic exists in all nations, and the practice of the manufacturers of consumable products which reaches in massive volume, the common public is not provided with strict conditions to not to use such plastic on their products, which is the primary source of common public's PW generation. This article aims to provide a recommender system to the manufacturers/producers of consumable products (M/PCP) packed with all types of containers based on plastic material. In the name of a High Critical-Crisis-based Recommender System (HCCRS) for the Plastic Free Consumer Products (PFCP) to make the PW-free environment for the common public, where ordinary people are trained to handle the PW efficiently. This PFCP- HCCRS recommends clean and transparent procedures to manufacturers/producers to manage their consumer products for the market with solid and environment-friendly containers with green business promotion.

Keywords: Consumer Products with Plastic Containers, Ecosystems, Go Green, Green Business Model (GBM), Plastic Free Consumer Products (PFCP).

1. Introduction

The improved awareness of the biological ecosystem (BES) of the earth, the entire human community of the world, with living and non-living environments created to maintain the hygienic environment of their surroundings to retain a healthy lifestyle. The world's population is unaware of this crisis, and human society focuses on safeguarding this BES. Environmental pollution drastically affects the BES in all aspects. It has imbalanced the lifestyle of plants, animals, humans, insects, bacteria, and viruses, and the earth is getting damaged, becoming a place where all living beings struggle for survival. Environmental pollution affects non-living environments, essential for living beings to lead a healthy lifestyle with water, air, sound, and soil. The research on eradicating such pollution, which destroys the BES balance, regularly goes hands-on in polluting the environment and participating in the BES.

A strange, unknown entity as uncertain incidents and accidents occasionally destroy the BES, and the raised imbalance on the BES is normalized after several years of rehabilitation. This strange, unknown entity may be a natural or manufactured disaster in non-living environments. As for the natural entity that causes the environmental catastrophe, nature reforms its BES balance, and for manufactured disasters, the BES balance is highly impossible, even for a specific time duration. The various disasters of such kind provide a lesson for human society and attract attention to handling hazardous industrial/other materials with extreme care.

So, nature and its BES must be maintained so that the future generation has the wisdom to utilize the resources and teach and train the younger generation with the habits of fair usage of nature and BES resources with handy predefined procedures to safeguard the BES's well-being. The training is not restricted alone to youngsters, and it is a common practice for all age groups of human beings to keep their natural resources clean and clear for the sake of their lives. Maintaining goodness on the BES and nature is the same as preserving goodness in living organisms.

Nowadays, plastic waste (PW) is a harmful substance that revolves around the earth, regardless of country and region. The problem the PW causes is now occupied in the various ecosystems such as ponds, rivers, rainforests, tundra, deserts, savannas, forests, grasslands, land and ocean, etc. Human life without plastic is now unimaginable, and, in all consumer products, the packaging is occupied with such plastic as outer containers to keep the consumable products in a new and handy mode of handling.

The public's practice of plastic was made without any intention and only kept the ease of use and handle. With the uncontrollable growth of PW in day-to-day life and improper handling, nature and BES get polluted. This unacceptable exercise of handling plastic after use as PW, the issue is extended anything like hazardous, and the increase in the PW collection day-by-day in all regions, all countries, and the BES become uncontrollable to meet its pitfall as the BES destroyed. Even the governments of all nations have produced plastic ban law enforcement (PBLE) to ban plastic usage in all aspects.

It remains an eyewash, and PBLE talks clearly about the public use of plastic and production as PW. The problem rests with the M/PCP, where their improper business process leads all nations to reinvest in managing PW with additional departmental rework. In this article, we propose recommendations to the M/PCP for their clean, clear, and green business practices, which avoids the PWM by the nationwide rework on the PW.

Further, this article is arranged to provide the bibliometrics under the literature survey section in the second order, where the possible literature on the PWM is offered to make the reader comfortable. Section three deals with the existing practices of various nations on consumer products with plastic containers and the PBLE of multiple countries under the current practices as the name. Section four provides the proposed work that recommends PFCP for M/PCP in the name of HCCRS. The conclusion of this article takes place in the fifth section and ends with the references cited in the paper in the references section.

2. Literature Review

The authors briefly assessed the literature on minimizing plastic in consumer products, emphasizing the prospects for coarser wool. Their research sought to investigate the feasibility of using coarser wool as an alternative to plastic in various consumer items (Løvbak Berg et al., 2023). The authors reviewed current studies to determine the advantages and practicality of introducing coarser wool into industrial processes, emphasizing its potential role in decreasing plastic waste and boosting sustainability. The authors focus on AP-MALDI-qTOF-MS as a quick screening approach for identifying additives in electronics and plastic consumer items. Their research intended to provide a fast and effective method for detecting additives in these items (de Jonker et al., 2023).

The authors intended to improve the detection and analysis of potentially dangerous additives by analyzing previous studies, giving significant insights for quality control and regulatory reasons in the electronics and plastic sectors. The authors focus on responsible consumption to promote sustainable tourism. Their research sought to promote sustainable practices and responsible consumption among visitors to the Hunza area (Bhatti et al., 2022).

The authors sought to find methods and activities that contribute to environmental preservation and sustainable tourism development to maintain the Hunza region's long-term sustainability and integrity as a tourist destination by analyzing available studies. The authors discuss consumer behavior towards plastic-free university campuses and single-use plastic generation trends. Their research examines the patterns of single-use plastic usage and the associated consumer behaviors on university campuses (Nguyen et al., 2022). Reviewing the previous study, the authors hoped to understand better the factors contributing to plastic usage and develop strategies for creating a plastic-free campus community. The project's innovative use of fuzzy total interpretive structural modeling aimed to reduce plastic pollution by shifting customer attitudes and behaviors (Ali et al., 2022).

Their research sought to investigate the possibilities for consumer-driven efforts to reduce plastic pollution. By analyzing previous studies, the authors attempted to uncover the variables and methods that might enable consumers to tackle plastic pollution actively. Their findings help to build effective strategies and initiatives for encouraging sustainable consumer behaviors and reducing the environmental impact of plastics. The author (Völker et al., 2022) discussed customer concerns about plastic alternatives in food service and their willingness to pay for them. Their research investigated customer attitudes toward plastic alternatives and their readiness to pay for sustainable solutions in the food service business. By analyzing previous studies, the authors attempted to understand consumer preferences and behaviors linked to plastic usage and the variables that impact their decisions to embrace ecologically friendly alternatives. The findings help to shape methods for encouraging sustainable choices and minimizing plastic waste in food service environments. The researchers focus on the factors that influence and impede consumer plastic packaging waste avoidance and recycling. Their research sought to determine the elements that impact customers' attitudes toward plastic trash reduction and recycling (Fischbach et al., 2022).

By analyzing previous studies, the authors attempted to obtain insights into the motivators that motivate consumers to avoid and recycle plastic packaging and the barriers that prevent them from engaging in these behaviors. The findings give essential information for developing effective interventions and strategies to encourage sustainable consumer plastic waste management (Fogt Jacobsen et al., 2022). The contributors briefly assessed the literature on the psychological aspects influencing private and public domain behaviors linked to reducing home plastic usage. Their research sought to uncover the factors that may lead to more sustainable practices (Heidbreder et al., 2023).

The authors hoped to acquire insights into the psychological mechanisms behind plastic consumption behavior and contribute to developing effective therapies by analyzing existing studies. The author (Zangmeister et al., 2022) claims that common disposable consumer plastics release billions of sub-100 nm nanoparticles per liter into the water during everyday use. It emphasizes the relevance of nanoparticle pollution caused by plastic items and the potential environmental consequences. More studies in this field are required to determine the magnitude of nanoparticle discharge, its impacts on water quality, and the development of efficient solutions to reduce nanoparticle pollution from plastic trash.

The authors presented a conceptual report with their project participants and narrated the green companies, greening the business and innovative GBM in their project work. Their work on challenges and mechanisms in making the business ecosystem friendly, worthy business chains, and the consumers seen from a business perspective is the key focusing area of the proposed HCCRS for PFCP through Green Companies/business promotions (Henriksen et al., 2012). The increase in the volume of solid waste (SW) on a regular daily basis in every municipality of Nepal and the method of handling SW was described by Amrit Maharjan et al. and continued that the urban population growth, which causes the massive volume of SW and becomes the factor for the public health and environment issues. The authors further stated the importance of the role of academia in all levels of SW management (SWM), as joining hands with the government to strengthen the SWM process is highly needed. Considering this, we aim to write this article under the mentioned title (Maharjan et al., 2019).

Ncube LK et al. presented their work on the food packing industries and their role in plastic waste generation cum management. They stated that the negligence of the strict monitoring of such waste growth during the past several years and the environment became unmanaged with PWs. Further, they presented an overview of food package industries' plastic involvement, recycling, and rules to govern food packing plastics, which is the critical factor of the proposed PFCP- HCCRS for M/PCP (Ncube et al., 2021).

The authors presented a review on disputes of the generation of PW and PWM, which are exposed to the world through media and scientific literature as references in their work. This article's recommended research is based on their summary of the plastics' lifespan and the issues with PWM that they gave (Ayeleru et al., 2020). With a new PWM scheme for Finland, the researchers proposed the factors of recycling plastic product containers. They represented individual and household PW with a TPB. It shows the essentialities of the PWM on personal and household PWs. Our recommender system provides similar directions to the individuals and the M/PCP with containers of plastic materials (Reijonen et al., 2021).

Researchers predicted unsustainable economic structures that harm society (Bocken & Short, 2021), and they stressed the need to update these models if we want to keep our environment healthy and pristine. The PW from the hospitals in due course of the Corona-19 Pandemic (C19P) situation and the hospital-related PWM

were discussed by Nsikak U. Benson et al. and listed various kinds of plastic materials used in hospital use and potential risks of hospital PW (Benson et al., 2021). The authors presented the real-time monitoring work of mixed solid waste management processing, measured various parameters, and concluded that plastics yield a negative correlation (Curtis & Sarc, 2021). The authors analyzed the function of GIScience in settling disputes over environmental deterioration, as well as the ecosystem's lifespan and service (VanderWilde & Newell, 2021). The authors described how the PW can be restructured from the PW to the combined raw material-based bricks in construction (Aneke & Shabangu, 2021).

The environmental performance of PW recycling was performed by the researchers (Bishop et al., 2021), improvements in circular economy-based ecological assessment of waste handling were presented by the authors (Lima et al., 2021), and the authors' environmental evaluation of PW recycling (PWR) provided a view of PWM considerably affects the GES and BES. It shows avoiding plastics on earth with maximum possibilities (Kerdlap et al., 2020). Sample test results from a controlled environment provide more detail about an MRF's recovery rates in the UK, as described by the authors (Antonopoulos et al., 2021).

The effectiveness of the bioplastics' circular economy has been measured using a set of indicators. SUPT (single-use packaging and trays) made of black plastic devastates marine life and the ecology despite their supposed benefits over more prevalent plastics. Black plastics may also be produced from electronic and electrical waste (WEEE). Recycled plastic products must pass several chemical tests and criteria (Balwada et al., 2021) before being used in the food and beverage industry. Plastics serve various functions in modern life and might be compared to "workhouse materials." Every year, people create more and more useless plastic waste.

In contrast, just a tiny percentage of trash is separated for recycling. The Environmental Protection Agency estimates that out of the hundreds of tons of plastic garbage produced yearly, only 7% gets recycled, 8% is incinerated, and 93% is dumped in landfills. People's widespread practice of acquiring and discarding plastics has contributed to a global environmental problem (Khoo et al., 2021). The authors used two approaches to quantify the ecological impacts of major sports events: the Environment Input and Output Analysis for the estimation of the national effects and the Ecological footprint Analysis, which refers more to the Global Impact while also highlighting some specific weaknesses, such as the availability of the data and the difficulties in accounting for particular effects, like information from visitors (Bianchini & Rossi, 2021).

Plastic production requires chemical substances that severely affect the quality of the air we breathe. Some examples of chemicals released into the air during plastic production significantly negatively impact human health (Kedzierski et al., 2020). The production-related consequences of different foods mean that the packaging industry's share of the food system's total environmental impacts may vary widely. As a result, while extra ecological consequences related to packing are incurred (Palmer et al., 202), reducing food waste of commodities with tremendous global

warming potential, such as meat and dairy, may drive the use of adequate packaging material. In their study (Nieminen et al., 2020), the scientists looked at the chemical separation of two materials using aluminum leaching with hydrochloric acid and sodium hydroxide. In contrast, aluminum polymers are not physically separated during this process.

3. Existing System

The source of raw plastic mostly comes from plastic manufacturers, which is further divided into household plastics usage, industrial plastic usage, and Healthcare plastic usage. Household plastic usage includes daily used items such as cosmetics and beverages. Household plastic usage includes cups, toothbrushes, buckets, grocery covers, and food products. Industrial plastic usage accounts for plastic usage in all sectors. Healthcare plastic includes life-critical saver products and unavoidable surgical materials. If it is recyclable, it will not have any issues. If not, it is a matter of concern because it produces waste and causes pollution.



Fig. 1. Plastic Production to Plastic Waste.

3.1. Plastic Production

Plastic waste entering the natural environment can be avoided if we know its proper product usage and disposal. Littering is a behavioral issue. It increases when we increase the production of the product using plastics. It can be reversed by using the proper recycling method. From the above chart, we can say that from 1956 to 1959, the production of plastics started, and it peaked in 2019, crossing 5000000 million tonnes. The yearly beach cleanups that the UK Marine Conservation Society organizes can be an excellent approach to increasing public awareness and gathering information on changes in the amount of trash on the seashores.

They (<http://www.oceanconservancy.org>) have an essential impact on education. However, education is urgently needed to stop littering before it starts. It is crucial in urban areas because of increased fast food and on-the-go consumption. People going out for public tours and holidays and solo travelers will likely increase littering. Littering can be stopped by educating and knowing the use of plastics. A type of item that can be done is handling resin pellets outlined in minimized leakage during experiments (Moore et al. 2005). However, education is urgently needed to stop littering before it starts and know the source of plastic production.

3.2. Plastic Usage

It is crucial in metropolitan areas where there is an increase in ready meals and on-the-go intake and, in certain places, a corresponding decline in the number of trash cans available. If we see the chart of the global mismanagement of plastic waste country-wise, Africa tops the list, followed by Pakistan, Tanzania, and Egypt.




Fig. 2. Global Year-wise Plastic Production.

From 1950 to 1970, plastic usage was very low, and plastic wastage was comparatively easy to manage. Nevertheless, the demand for plastics has increased due to the world's population. Unfortunately, after the 2000s, plastic usage rose more in the last decades than in the previous 40 years. Since the 1970s, plastic production has increased and will cross 1,100 million tonnes by 2050. On average, packaging, which includes one-time-use plastic goods food packaging, uses 36% of all plastics produced. Products made of single-use plastics, or virgin plastic, account for 98% of total output. According to the global carbon budget, fossil fuel production, use, and

disposal are expected to result in a 19% rise in greenhouse gas emissions. If we see the chart of global mismanaged plastic waste country-wise, Africa tops the list, followed by Pakistan, Tanzania, and Egypt.




Fig. 3. Share of each country in mismanaged plastic waste globally. (Data compiled from <https://www.unep.org/interactives/beat-plastic-pollution/>).


3.3. Plastic Disposal/Waste

Less than 10% of materials have been recycled so far worldwide. Millions of tonnes of plastic garbage are wasted in the environment. Sorting and processing alone account for an annual value loss of \$80-\$120 billion in plastic storage garbage. Animals like raccoons and birds transport plastic from rivers and lakes to the ocean. Around 75 to 199 million tonnes of plastic loss are estimated to occur in processing and sorting alone. By 2040, 25-40 million tonnes of plastic waste will float in the ocean yearly, up from 9-14 million tonnes in 2016.

2019 saw data obtained through the countermeasure initiative across Southeast Asian countries and Bharat to estimate and determine the amount of plastic waste entering waterways such as lakes and rivers. Khong Chaim and Phosai, two districts on the Mekong River, were chosen as sample locations. It was discovered that Khong Chaim has twice as much plastic leakage as Phosai. Since the Khong Chaim neighborhood is located at the confluence of the Mun and Mekong Rivers, plastic waste gets carried downstream on the Mun. The Mekong River's plastic trash is primarily the result of home littering and dumping.

If we see from the data above, countries producing per capita plastics waste are ranked based on the waste generated by them the list as follows Saint Kitts and Nevis (0.654) tops the list, followed Guyana (0.586), Barbados (0.57), Netherlands (0.424), Hong Kong (0.398), Sri Lanka (0.357), United States (0.335), Grenada (0.325), New Zealand (0.331), Vanuatu (0.295), Spain (0.277), Spain (0.277), Portugal (0.265), Venezuela (0.252), Turks and Caicos Islands (0.252), Uruguay (0.252), Sint Maarten (Dutch part) (0.252), Saint Pierre and Miquelon (0.252), Turks and Caicos Islands (0.252), Gibraltar (0.252), Anguilla(0.252), Aruba(0.252), Bermuda(0.252), Cyprus(0.248), South Africa (0.24), Tonga (0.223), Saint Vincent and the Grenadines (0.221),

United Kingdom (0.215), Turkey (0.212). These few countries alone generate more than 50% of the total plastic leakage of the world. All sectors produce a high volume of primary plastic and create millions of waste, followed by packaging, Textiles,



buildings, LD, LDPE, PP, PP& A fibers, PVC, etc.

Fig. 4. Per Capita Plastic Waste.

(Data compiled from <https://www.unep.org/interactives/beat-plastic-pollution/>)




Fig. 5. Sectorwise Plastic Production and Waste Generation.

(Data compiled from <https://www.unep.org/interactives/beat-plastic-pollution/>)

4. Proposed PFCP- HCCRS Recommender System

4.1. Manufacturing-Level Plastic Avoidance

It is essential to eliminate its use in manufacturing to reduce plastic waste. Manufacturers may use these recommendations to limit the amount of plastic waste worldwide. Improve packaging by Examining the product's packaging to find places where plastic might be cut down or eliminated. Paper, cardboard, glass, and other biodegradable/compostable materials are some alternatives to think about. Recycling possibilities: Use plastics that have already been recycled in production. It helps to decrease the need for new plastic and complete the recycling cycle for used plastic.

Look at several other materials: Find and use recyclable or biodegradable alternatives to petroleum-based polymers. Mushroom-based packaging is one example of a novel material that uses waste products such as bioplastics. Improving

the design process: Make an effort to lessen the product's plastic footprint while designing it. It might include experimenting with alternative production methods using less plastic or employing fewer individual parts. Start recycling initiatives: Set up factory recycling programs to collect and reuse the plastic scraps that accumulate during production.

Get the vendors on board with the quest to lessen plastic packaging and look into alternatives. Persuade them to start using more eco-friendly packaging as well. Systematically promoting reuse and refills: Make sure the items can be refilled, and advertise that. As a result, consumers are more likely to refill existing containers rather than purchase new ones. Start recycling and disposal programs to encourage consumers to return their old items and packaging. It contributes to the safe disposal of plastics. Instruct workers and interested parties: Educate the staff and other stakeholders about the significance of plastic pollution and the advantages of plastic avoidance via training and education.

Inspire kids to pitch in with suggestions and take part in waste-reduction efforts. Help Science and Technology Advance: The quest for sustainable alternatives to plastic and improving recycling technology should get funding for research and development. Join forces with other groups trying to reduce plastic waste. Manufacturers may significantly aid in the fight against plastic pollution if they take these steps to reduce their reliance on plastic and increase interest in more environmentally friendly alternatives.

4.2. Recycling and using containers that do not need plastic

Customers may help minimize plastic pollution by ditching single-use items and switching to reusable containers. Instead of purchasing water in disposable plastic bottles, bring the refillable bottle. It is possible to reduce waste from single-use plastic water bottles by keeping them refillable. Reusable shopping bags should be brought to the store. It would be best always to have a reusable bag, so keep a couple in the vehicle and a folding one in the bag. Refuse disposable straws and bring reusable stainless steel, bamboo, or silicone straws instead.

In this way, fewer plastic straws will wind up in garbage dumps and waterways. Pack a zero-waste lunch using washable, reusable containers and silverware instead of throwaway plastic bags and food packaging. As an alternative to plastic, containers of stainless steel or glass are preferable. Select items with minor packaging or packaging produced from recyclable materials while shopping. Keep the packages to a minimum, and never use plastic bags. If one consumes coffee or tea often, it is environmentally responsible to bring a reusable cup to the café. Some cafes may even offer discounts if a personal mug has been brought and filled up.

Consider simultaneously buying large quantities of grains, nuts, or cleaning products. Using the containers eliminates the need for unnecessary plastic packing. Throw away the disposable dishes and silverware: Bring the utensils and ask eateries to hold the plastic plates and silverware when they dine in or buy takeout. Use items

created from nontraditional resources: Instead of buying plastic, consider purchasing things manufactured from renewable and biodegradable resources. Products made from bamboo, glass, and stainless steel are just a few examples. Raise consciousness: Spread the word about plastic pollution and the value of reusable containers to loved ones and neighbors.

Get other people involved in creating incremental improvements so that this can make a more significant difference as a group. Incorporating even a few of these tips into daily life may significantly reduce the reliance on plastic and contribute to a more sustainable global community.

4.3. Replacement for plastic used in the packaging of consumer goods

Several non-plastic materials are available as viable replacements for plastic in consumer product packaging. Some instances are as follows:

- **Cardboard and Paper:** Paper and cardboard are often used for product packaging as an alternative to plastic. Those materials may be replenished, recycled, and decomposed. Plus, they may be obtained from sustainably managed forests and generally have fewer adverse environmental effects than plastic.
- **Glass:** Food, drink, and personal care items are just some of the many things that succeed in glass containers. In addition to being infinitely recyclable, glass retains none of its original properties, making it chemically inert.
- **Metal:** Aluminum or tin can provide sturdy and secure packing. Cans, bottles, and spray canisters all make use of this material. Metal is easily recycled, consuming much less energy than creating brand-new metal.
- **Bioplastics** are an alternative to petroleum-based materials; they may be produced from plants like corn starch, sugarcane, or algae. These polymers may be biodegradable or compostable under controlled circumstances and have many of the same uses as traditional plastics but with less carbon impact. Alternatives to conventional plastics may be made from biodegradable and compostable materials such as films, polymers, and plastics. These products may be broken down by nature in composting facilities or other settings, minimizing their environmental effect.
- **Hemp, bamboo, or jute** are natural fibers that may be used to create eco-friendly packaging. Bags, pouches, and other packaging might be made from these materials since they are renewable and biodegradable.
- **Printed on mushroom-shaped paper:** The mushroom's mycelium may be developed into various forms and utilized for packaging. It may be composted after use and decomposes faster than conventional packaging, using fewer manufacturing resources.
- **Packaging made from agave fiber** is another viable option. It may be shaped like many things and comes from discarded agave plant fibers. Packaging made from agave fiber may be recycled or composted after use.

Some businesses are experimenting with packaging made from tree sap or plant-based resins. Both are considered natural resins. These resins may be biodegradable or compostable, providing an alternative to petroleum-based plastics.

- **Seaweed or Starch:** Innovative packaging that may be eaten, such as that constructed from seaweed or starch, is now available. It is convenient for composting or eating, so there is less garbage. Each alternative material has advantages and disadvantages; which one is best depends on the needs of the product, its expected lifespan, and its eventual fate.

When choosing the most suitable solution for their packaging requirements, manufacturers should carefully consider alternative materials' environmental effects, functionality, and availability.

5. Manufacturer vs Consumer Responsibility in Reducing Plastic Pollution

Avoiding plastic pollution is a shared responsibility between producers and consumers. The roles and the possible responses are as follows:

5.1. *The Manufactures' Part*

Manufacturers may design goods and packaging with plastic pollution in mind if they so want. They may look into eco-friendly solutions that have less of an effect on the environment, such as using recycled materials or reducing the quantity of packaging they use. Manufacturers have the option of using readily recyclable or biodegradable materials. Recycled plastics, bioplastics, and other eco-friendly options should be prioritized. Manufacturers may help reduce plastic pollution by investing in and improving recycling facilities. They may do this by working with recycling centers, including recycling materials into their products and setting up take-back schemes for finished goods.

To reduce their plastic use and provide more environmentally friendly packaging, manufacturers might engage in R&D to discover new, creative solutions. As such, it is essential to fund studies into waste minimization techniques, recycling methods, and alternative materials. Manufacturers and their suppliers may collaborate to increase the prevalence of environmentally friendly business procedures across the supply chain. It includes pushing manufacturers to reduce plastic packaging use, step up recycling efforts, and become green.

5.2. *Consumers' Functions*

The conscious shopper may exercise agency by selecting items with minimal packaging or packaging produced from environmentally friendly materials. Consumers may stimulate the market for environmentally friendly alternatives by purchasing from businesses that prioritize reducing plastic pollution. Consumers may do their part to lessen the world's reliance on plastic by selecting options that can be used repeatedly. One crucial aspect is doing away with plastic straws and other such

items. Reusable tote bags, bottles, and containers for food storage are also environmentally friendly.

Consumers are crucial in efficient waste management via recycling and correct disposal. They must be conscientious about recycling plastic items following local recycling requirements and adequately disposing of plastic debris to keep it out of landfills and waterways. Consumers may play an essential role in spreading information about plastic pollution and urging policymakers to take action. Consumers may aid in spreading practices that limit plastic pollution by informing others about the hazards of plastic and giving suggestions for reducing their use.

Consumer demand for environmentally friendly goods and packaging may increase by purchasing from brands that prioritize sustainability and eliminate plastic waste. It may encourage producers to start using greener methods. Ultimately, it will be up to producers and consumers alike to do something about plastic waste. Producers must accept responsibility for developing products, selecting materials, and dealing with trash. Consumers should make deliberate decisions, reduce plastic use, and promote environmentally friendly alternatives. Together, we can make a massive difference in the fight against plastic pollution if we all pull in the same direction.

6. Discussions and Directions

6.1. *Plastic from Discarded Food Packaging*

One primary source of plastic pollution is discarded food packaging. Plastic bags, wrappers, containers, and bottles are examples of single-use plastics widely used in packaging various food goods. One-time usage and subsequent disposal of these goods contribute to the mass production of plastic trash. Some food items are over-packaged, adding extra layers of plastic wrap or other components to the packaging that are not essential. The quantity of plastic waste produced has subsequently increased due to this overpackaging. Not all polymers used in food packaging are readily recyclable. It is possible that recycling facilities will not take some forms of plastic, such as multi-layer or extremely contaminated packaging. More plastic trash will eventually wind up in dumps or the wild.

Problems with contamination Recycling food packaging, especially that which comes into close touch with food, presents problems with contamination. Contamination of the recycling stream and decreased recyclability of plastic materials may result from food remaining in the packaging. The environmental effect of plastic food packaging waste is unknown; many customers are unaware. Consumers must be educated on minimizing plastic waste in food packaging via increased education and awareness initiatives. Options for the Long Term: Compostable materials, paper-based packaging, and biodegradable polymers are only some of the sustainable alternatives to plastic food packaging. However, corporate backing and customer demand are necessary to adopt these alternatives broadly.

Increased Obligation on Producers (EPR): By instituting EPR programs, food manufacturers and producers may be encouraged to assume more accountability for the whole package lifecycle. Efforts in this direction include promoting recycling facilities and creating recyclable packaging. **Design and Innovation:** Enhanced eco-friendliness is a byproduct of constant design innovation in packaging. Among these goals are reducing wasteful packing practices and investigating novel materials to increase food storage life. **Consumer Actions:** Reducing plastic waste from food packaging is significantly influenced by consumer actions and decisions. Consumers may aid in waste reduction initiatives by selecting items with less packing, favoring things that can be reused, and efficiently recycling packaging materials.

Governments and regulatory agencies may significantly reduce plastic waste from food packaging via policy and regulation. Sustainable packaging techniques, some single-use plastics, and recyclable or compostable materials may all be encouraged by enacting policy changes. Food producers, manufacturers, retailers, consumers, and governments must all work together to reduce plastic waste from food packaging. Together, we can lessen the environmental toll of plastic waste from food packaging by adopting sustainable packaging practices, bolstering recycling activities, and spreading awareness.

6.2. *Plastic from Discarded Cosmetic Products Packaging*

Since the cosmetics business produces a lot of plastic packaging, that waste is a major environmental problem. Here are a few essential details about the plastic used for packaging cosmetics: **Packaging:** Many cosmetics come in single-use plastic containers such as bottles, jars, tubes, and pumps. One-time usage and subsequent disposal of these things contribute to the buildup of plastic trash. Some cosmetics come in multi-layered packaging, consisting of many plastic layers (the container, the lid, the insert, and the shrink wrap, for example). These coatings may enhance the difficulty of recycling and the quantity of plastic trash produced.

Microplastics are tiny plastic particles that may be utilized as exfoliants or fillers in some cosmetics. These microplastics can potentially enter the environment, where they might harm marine life and ecosystems. Oversized plastic caps and cumbersome designs are only two examples of how cosmetics packaging may be wasteful regarding the materials used. Waste may be reduced by streamlining package design and using fewer materials. Some cosmetics packaging is difficult to recycle, and that is how it is. Recycling rates may be lower than they would be due to difficulties presented by complex packaging systems, heterogeneous materials, and tiny component sizes.

Recyclable and biodegradable plastics, glass, and paper-based materials are some sustainable packaging options for the cosmetics industry. Using these alternatives may help lessen the waste created by cosmetics packaging. Plastic waste may be significantly reduced by encouraging refillable and reusable packaging choices. Refillable packaging and in-store refill stations may reduce reliance on single-use

plastic packaging. Change may be sparked by informing customers about the environmental consequences of cosmetics packaging plastic waste and encouraging more eco-friendly packaging options. With more excellent knowledge, consumers may make better judgments while shopping and perhaps switch to businesses that use more eco-friendly packaging.

Collaborating as an industry is crucial, especially amongst the cosmetics industry, packaging makers, and recycling centers. Innovation and long-term viability in the cosmetics sector may be promoted through sharing best practices, funding research and development, and establishing industry-wide objectives. Sustainable packaging methods, recycling, and reducing the use of non-recyclable plastics in cosmetics packaging are all areas where governments may play an essential role by implementing legislation and guidelines. Manufacturers, consumers, industry stakeholders, and governments must all work together to reduce plastic waste from cosmetics packaging.

We can all work together to lessen the environmental toll of cosmetics packaging plastic waste by implementing sustainable packaging techniques, bolstering recycling activities, and raising consumer awareness.

7. Conclusion

Preventing plastic waste will require work for both producers and consumers. The following are some ways in which producers and consumers may significantly help fight against plastic waste: To reduce their environmental impact. Manufacturers can Redesign packaging to minimize the amount of plastic used and research possible alternatives; Use recycled plastics and support recycling infrastructure; Invest in research and innovation for sustainable packaging solutions; Work with suppliers to spread sustainable practices throughout the supply chain; Establish take-back programs and advocate for extended producer responsibility. Customers can help reduce plastic waste by choosing products with less packaging or more eco-friendly options, switching to reusables like grocery bags, water bottles, and food storage containers, recycling plastic packaging following local regulations, raising public awareness about the issue, and working to effect change. Donate to companies whose policies favor minimizing their environmental impact and plastic use. Policy interventions, corporate pledges, and changes in consumer behavior are all necessary components of a successful strategy. A significant decrease in plastic waste and preserving our environment for future generations is possible if producers and consumers work together to spur innovation, demand sustainable alternatives, and engage in responsible waste management practices.

8. References

- Ali, S. M., Ahmed, S., Ahmed, H. N., Sharmin, A., & Rahman, R. (2022). Reducing plastic pollutants through catalyzing consumer roles: A novel application of fuzzy total interpretive structural modeling. *Journal of Cleaner Production*, 335, 130327. <https://doi.org/10.1016/J.JCLEPRO.2021.130327>
- Aneke, F. I., & Shabangu, C. (2021). Green-efficient masonry bricks produced from scrap plastic waste and foundry sand. *Case Studies in Construction Materials*, 14, e00515. <https://doi.org/10.1016/J.CSCM.2021.E00515>
- Antonopoulos, I., Faraca, G., & Tonini, D. (2021). Recycling of post-consumer plastic packaging waste in the EU: Recovery rates, material flows, and barriers. *Waste Management*, 126, 694–705. <https://doi.org/10.1016/J.WASMAN.2021.04.002>
- Ayeleru, O. O., Dlova, S., Akinribide, O. J., Ntuli, F., Kupolati, W. K., Marina, P. F., Blencowe, A., & Olubambi, P. A. (2020). Challenges of plastic waste generation and management in sub-Saharan Africa: A review. *Waste Management*, 110, 24–42. <https://doi.org/10.1016/J.WASMAN.2020.04.017>
- Balwada, J., Samaiya, S., & Mishra, R. P. (2021). Packaging Plastic Waste Management for a Circular Economy and Identifying a better Waste Collection System using Analytical Hierarchy Process (AHP). *Procedia CIRP*, 98, 270–275. <https://doi.org/10.1016/J.PROCIR.2021.01.102>
- Benson, N. U., Fred-Ahmadu, O. H., Bassey, D. E., & Atayero, A. A. (2021). COVID-19 pandemic and emerging plastic-based personal protective equipment waste pollution and management in Africa. *Journal of Environmental Chemical Engineering*, 9(3), 105222. <https://doi.org/10.1016/J.IECE.2021.105222>
- Bhatti, H. Y., Galan-Ladero, M. M., & Galera-Casquet, C. (2022). "Clean Hunza Project": Responsible Consumption for a Sustainable Tourism. Dealing with Socially Responsible Consumers, 457–480. https://doi.org/10.1007/978-981-19-4457-4_25
- Bianchini, A., & Rossi, J. (2021). Design, implementation, and assessment of a more sustainable model to manage plastic waste at sports events. *Journal of Cleaner Production*, 281, 125345. <https://doi.org/10.1016/J.JCLEPRO.2020.125345>
- Bishop, G., Styles, D., & Lens, P. N. L. (2021). Environmental performance comparison of bioplastics and petrochemical plastics: A review of life cycle assessment (LCA) methodological decisions. *Resources, Conservation and Recycling*, 168, 105451. <https://doi.org/10.1016/J.RESCONREC.2021.105451>
- Bocken, N. M. P., & Short, S. W. (2021). Unsustainable business models – Recognizing and resolving institutionalized social and environmental harm. *Journal of Cleaner Production*, 312, 127828. <https://doi.org/10.1016/J.JCLEPRO.2021.127828>
- Curtis, A., & Sarc, R. (2021). Real-time monitoring of volume flow, mass flow, and shredder power consumption in mixed solid waste processing. *Waste Management*, 131, 41–49. <https://doi.org/10.1016/J.WASMAN.2021.05.024>

- de Jonker, M., Leonards, P. E. G., Lamoree, M. H., & Brandsma, S. H. (2023). A Rapid Screening Method for the Detection of Additives in Electronics and Plastic Consumer Products Using AP-MALDI-qTOF-MS. *Toxics*, 11(2), 108. <https://doi.org/10.3390/TOXICS11020108/S1>
- Fischbach, E., Sparks, E., Hudson, K., Lio, S., & Englebretson, E. (2022). Consumer Concern and Willingness to Pay for Plastic Alternatives in Food Service. *Sustainability* 2022, Vol. 14, Page 5992, 14(10), 5992. <https://doi.org/10.3390/SU14105992>
- Fogt Jacobsen, L., Pedersen, S., & Thøgersen, J. (2022). Drivers of and barriers to consumers' plastic packaging waste avoidance and recycling – A systematic literature review. *Waste Management*, 141, 63–78. <https://doi.org/10.1016/J.WASMAN.2022.01.021>
- Heidbreder, L. M., Tröger, J., & Schmitt, M. (2023). Exploring the psychological antecedents of private and public sphere behaviours to reduce household plastic consumption. *Environment, Development and Sustainability*, 25(4), 3405–3428. <https://doi.org/10.1007/S10668-022-02186-W/FIGURES/2>
- Henriksen, K., Bjerre, M., Almasi, A. M., & Damgaard-Grann, E. (2012). Green Business Model Innovation - Conceptualization report. Nordic Innovation Publication. <http://www.nordicinnovation.org/publications>
- Kedzierski, M., Frère, D., Le Maguer, G., & Bruzard, S. (2020). Why is there plastic packaging in the natural environment? Understanding the roots of our individual plastic waste management behaviours. *Science of The Total Environment*, 740, 139985. <https://doi.org/10.1016/J.SCITOTENV.2020.139985>
- Kerdlap, P., Purnama, A. R., Low, J. S. C., Tan, D. Z. L., Barlow, C. Y., & Ramakrishna, S. (2020). Environmental evaluation of distributed versus centralized plastic waste recycling: Integrating life cycle assessment and agent-based modeling. *Procedia CIRP*, 90, 689–694 <https://doi.org/10.1016/J.PROCIR.2020.01.083>
- Khoo, K. S., Ho, L. Y., Lim, H. R., Leong, H. Y., & Chew, K. W. (2021). Plastic waste associated with the COVID-19 pandemic: Crisis or opportunity? *Journal of Hazardous Materials*, 417, 126108. <https://doi.org/10.1016/J.JHAZMAT.2021.126108>
- Lima, P. de M., Morais, M. F. de, Constantino, M. A., Paulo, P. L., & Magalhães Filho, F. J. C. (2021). Environmental assessment of waste handling in rural Brazil: Improvements towards circular economy. *Cleaner Environmental Systems*, 2, 100013. <https://doi.org/10.1016/J.CESYS.2021.100013>
- Løvbak Berg, L., Klepp, I. G., Sigaard, A. S., Broda, J., Rom, M., & Kobiela-Mendrek, K. (2023). Reducing Plastic in Consumer Goods: Opportunities for Coarser Wool. *Fibers* 2023, Vol. 11, Page 15, 11(2), 15. <https://doi.org/10.3390/FIB11020015>
- Maharjan, A., Khatri, S. B., Thapa, L., Pant, R. R., Pathak, P., Bhatta, Y. R., Rijal, K., & Bishwakarma, K. (2019). Solid Waste Management: Challenges and Practices in the Nepalese Context. *Himalayan Biodiversity*, 6, 6–18. <https://doi.org/10.3126/HEBIDS.V7I1.40185>

- Ncube, L. K., Ude, A. U., Ogunmuyiwa, E. N., Zulkifli, R., & Beas, I. N. (2021). An Overview of Plastic Waste Generation and Management in Food Packaging Industries. *Recycling* 2021, Vol. 6, Page 12, 6(1), 12. <https://doi.org/10.3390/RECYCLING6010012>
- Nguyen, X. C., Dao, D. C., Nguyen, T. T., Tran, Q. B., Huyen Nguyen, T. T., Tuan, T. A., Phuong Nguyen, K. L., Nguyen, V. T., Nadda, A. K., Thanh-Nho, N., Chung, W. J., Chang, S. W., & Nguyen, D. D. (2022). Generation patterns and consumer behavior of single-use plastic towards plastic-free university campuses. *Chemosphere*, 291, 133059. <https://doi.org/10.1016/J.CHEMOSPHERE.2021.133059>
- Nieminen, J., Anugwom, I., Kallioinen, M., & Mänttari, M. (2020). Green solvents in recovery of aluminium and plastic from waste pharmaceutical blister packaging. *Waste Management*, 107, 20–27. <https://doi.org/10.1016/J.WASMAN.2020.03.014>
- Palmer, S., Herritt, C., Cunningham-Sabo, L., Stylianou, K. S., & Prescott, M. P. (2021). A Systems Examination of Food Packaging and Other Single-Use Item Waste in School Nutrition Programs. *Journal of Nutrition Education and Behavior*, 53(5), 380–388. <https://doi.org/10.1016/j.jneb.2021.01.009>
- Reijonen, H., Bellman, S., Murphy, J., & Kokkonen, H. (2021). Factors related to recycling plastic packaging in Finland's new waste management scheme. *Waste Management*, 131, 88–97. <https://doi.org/10.1016/J.WASMAN.2021.05.034>
- VanderWilde, C. P., & Newell, J. P. (2021). Ecosystem services and life cycle assessment: A bibliometric review. *Resources, Conservation and Recycling*, 169, 105461. <https://doi.org/10.1016/J.RESCONREC.2021.105461>
- Völker, J., Ashcroft, F., Vedøy, Å., Zimmermann, L., & Wagner, M. (2022). Adipogenic Activity of Chemicals Used in Plastic Consumer Products. *Environmental Science and Technology*, 56(4), 2487–2496. https://doi.org/10.1021/ACS.EST.1C06316/SUPPL_FILE/ES1C06316_SI_001.PDF
- Zangmeister, C. D., Radney, J. G., Benkstein, K. D., & Kalanyan, B. (2022). Common Single-Use Consumer Plastic Products Release Trillions of Sub-100 nm Nanoparticles per Liter into Water during Normal Use. *Environmental Science and Technology*, 56(9), 5448–5455. https://doi.org/10.1021/ACS.EST.1C06768/SUPPL_FILE/ES1C06768_SI_001.PDF



Mrs Malathi Sivaram is the esteemed Director of Intuitivo Gateway Ricerca Fatti Private Limited in India. She holds a Bachelor's degree in Commerce (B.Com), a Master's degree in Commerce (M.Com), and a Diploma in Computer Applications (DCA). Over the years, Mrs. Malathi has gained extensive experience working in various corporate offices, showcasing her expertise and dedication. Her educational background and professional journey reflect her commitment to excellence and continuous learning. She is known for her leadership skills and her ability to drive organizational success through strategic planning and effective management. Her contributions to the corporate world have been widely recognized, making her a respected figure in her field.



Ms. Sri Nandhini Sivaram is an ambitious 11th-grade student at Nashik Cambridge School, India, pursuing the Science Stream. Even at this young age, she has already made a mark as an emerging and innovative researcher in multidisciplinary domains. Her passion for science and research is evident in her dedication to exploring various fields and pushing the boundaries of knowledge. Sri Nandhini's inquisitive nature and commitment to learning have earned her recognition among her peers and teachers. She actively participates in science fairs and competitions, showcasing her projects and ideas. Her journey is just beginning, and her future in the world of research looks promising.



Dr. Sivaram Ponnusamy is a distinguished academic and researcher with computer science, electrical engineering, and business management expertise. With qualifications such as a B.E. in Electrical and Electronics Engineering, an M.E. in Computer Science, a Ph.D., and an MBA in Project Management, he serves as a professor and research supervisor in engineering colleges and universities, specializing in artificial intelligence and computer science. Dr Ponnusamy has filed multiple patents in cutting-edge technologies, ranging from remote voting systems to AI-based attendance management and environmental analysis tools. His work includes editing several Scopus-indexed books on AI applications, digital twin technology, and women's safety, with ongoing international projects in AI research. As an active member of various professional bodies, including IAENG and ISOC, he also contributes as a reviewer for reputed journals. Recognized for his academic contributions, he was awarded by the Thanjavur District Collector for developing an innovative Android-based meeting management tool. Additionally, Dr. Ponnusamy frequently chairs international conferences and conducts seminars on the latest technological trends, making significant contributions to AI, machine learning, and software development. He is the research supervisor for several research scholars, and his IGI-Global Profile URL is <https://www.igi-global.com/affiliate/sivaram-ponnusamy/449070>.



Dr Madhusudan KS is currently working as an Assistant Professor at the PSG Institute of Management (PSGIM), PSG College of Technology. He has over 11 years of experience spanning teaching, research, and industry, with expertise in Human Resource Management and Marketing. He has taught courses at both the undergraduate and postgraduate levels, including doctoral scholars. He has published more than five research papers in national and international peer-reviewed journals. Additionally, he has presented 21 papers in national and nine papers in international seminars and conferences. Dr. Madhusudan has also authored two books: *Current Trends in Marketing* and *Current Trends in Human Resource, Part 1*. Beyond his academic career, he is passionate about social work, contributing to various social causes.